

MEASURING GUIDE ON PAPER

PERSONAL DATA

NAME _____

E-MAIL _____

HEIGHT _____

PHONE NUMBER _____

WEIGHT _____

CORPORAL CONFIGURATION

SHOULDERS High Standard Low

WAIST Prominent Standard

HIPS Prominent Standard

PRÊT-À-PORTER SIZING / SENSATIONS

When I use Prêt-à-Porter garments MY JACKET SIZE IS _____ MY TROUSERS SIZE _____

Contry of origin of the sizing _____

It does not fit properly in Waist Under arms Others _____

Wrinkles appear in Neck Back Others _____

MEASURES

1. CHEST	<input type="text"/>	6. STOMACH	<input type="text"/>	11. PANTS KNEE	<input type="text"/>
2. BACK WIDTH	<input type="text"/>	7. WAIST	<input type="text"/>	12. END OF PANTS LEG	<input type="text"/>
3. JACKET LENGHT	<input type="text"/>	8. HIPS	<input type="text"/>	13. WAISTCOAT NECKLINE	<input type="text"/>
4. SHOULDERS WIDTH	<input type="text"/>	9. PANTS LENGTH	<input type="text"/>	14. WAISTCOAT WAISTLINE	<input type="text"/>
5. SLEEVES LENGTH	<input type="text"/>	10. CROTCH	<input type="text"/>	15. WAISTCOAT LENGTH	<input type="text"/>


DETAIL OF MEASUREMENT



1. CHEST

The chest circumference is taken around it with the tape in the zone where it is more prominent.

This measure should be taken with a finger inside the measuring tape.



2. BACK WIDTH

The back width is taken from the shirt's external side seam to the seam of the other side.

It should be taken by the shoulders blades line.



3. JACKET LENGTH

The jacket length is taken from the junction point between the middle of the back and the neck. (You can lift the collar of the shirt to find easily this point) measuring to the line of the middle of the thumb.



4. SHOULDER WIDTH

The shoulder width is taken from where shoulder and sleeve seams meet, to the same point of the other side. The measuring tape should almost touch the neckline.



5. SLEEVES LENGTH

Place measuring tape where shoulder and sleeve meet and measure to the line of the middle of the hand (Imaginary line from the back of the hand and the starting point of the thumb).



6. STOMACH

The jacket waist circumference is taken around its perimeter in the stomach and navel line.

This measure should be taken with a finger inside the measuring tape.



7. WAIST

Adjust trousers where you want them to rest in waistline and measure the waist from this point (without belt). This measure should be taken with a finger inside the measuring tape.



8. HIPS

The hip circumference is taken where they are more prominent. This measure should be taken with a finger inside the measuring tape.



9. PANTS LENGTH

The trousers length is taken on the outside of the leg. Measure from the waist level to the point you want them to end, that usually is the beginning of the heel. (take this measurement with shoes on).



10. CROTCH

Sit down in a chair with the bottom supported by the backrest of the chair. Measure from the waistline by the outside of the pants to the point where the tape touches the chair.



11. PANTS KNEE

Place the measuring tape in the knee taking the pants crease as reference. Measure the distance to the other crease (you will find this easier than measuring the knee circumference).



12. END OF PANTS LEG

In the place you want the pants end, measure the distance from the trousers crease to the other crease (you will find this easier than measuring the end of the leg circumference).



13. WAISTCOAT NECKLINE

This measure is taken placing the tape where the neck and the seam of the middle of back meet. Measure to the middle of the chest (breastbone line).



14. WAISTCOAT WAISTLINE

This measure is taken placing the tape where the neck and the seam of the middle of back meet. Measure to the middle of the stomach (navel line).



15. WAISTCOAT LENGTH

This measure is taken placing the tape where the neck and the seam of the middle of back meet. Measure to the line approximately 4 cm. below the trousers waistline.